



# DL (Dry Lock) Port System Charts for Fujifilm X-Mount Mirrorless Cameras

## **PORT OPTIONS**

Some lenses have more than one port option. The first column is always the recommended option for the best compromise of imaging quality, performance, and handling with any given lens.

## **PRODUCT(S) REQUIRED**

Where multiple lines of products are listed for a given option, all products listed are required to make a complete compatible lens port.

## **LENSES REFERENCING “+4 DIOPTER REQUIRED”**

A +4 diopter is available for purchase through your local camera store, and is commonly sold in a set with +1 and +2 close-up lenses. Common brands include Tiffen and Hoya. Make sure to purchase the correct size for your lens. The thread diameter is usually referenced on the front of the lens in millimeters ( $\varnothing$  58mm, 67mm, etc.). All photos will be out of focus if a +4 diopter is required but not used.

# Fujifilm X-mount Lenses

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>8-16 mm Fujifilm XF f/2.8 R LM WR</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Zoom solution is not currently available. Lens must be used at a fixed focal length. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>75037</b> Extension</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. Zoom solution is not currently available. Lens must be used at a fixed focal length. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75020</b> Extension  <b>75037</b> Extension</p>	
<b>10-24 mm Fujifilm XF f/4 R OIS</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.28</b> Zoom Gear</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75042</b> Extension  <b>5509.28</b> Zoom Gear</p>	
<b>14 mm Fujifilm XF f/2.8 R</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port</p>	
<b>16 mm Fujifilm XF f/1.4 R</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port</p>	
<b>18 mm Fujifilm XF f/2 R</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>18-55 mm Fujifilm XF f/2.8-4 R LM OIS</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75344</b> Dome Port  <b>75050</b> Extension  <b>5509.27</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.27</b> Zoom Gear</p>	
<b>23 mm Fujifilm XF f/1.4 R</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port</p>	
<b>50 mm Zeiss Touit f/2.8M Macro</b>	<p>Port recommendation not yet available.</p>		
<b>60 mm Fujifilm XF f/2.4 R Macro</b>	<p>Port recommendation not yet available.</p>		
<b>80 mm Fujifilm XF f/2.8 R LM OIS WR Macro</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75050</b> Extension</p>		