



9457.63


DS125/DS160/DS161 Strobe Toggle

Replacement Instructions

INCLUDED IN KIT



Ikelite Lube



Toggle Pawl


Hex Nut



Toggle

Not Included In Kit
Save for Replacement Toggle

2 - 1/4" Washers



2 - Springs








Replacement Procedure (illustrations on page 3)

1. Remove Battery pack from strobe (**Diagram 1**).
2. Remove Hex Nut (**Diagram 2**) using a Nut Driver (not included). Discard old Toggle and old Toggle Pawl. Save Springs and Washers for new Toggle.
3. Clean Toggle Shaft Hole (**Diagram 3**) using a cotton swab dipped in alcohol (preferred) or water. Allow to dry.
4. Lightly lubricate the toggle shaft o-rings with supplied lube. Make sure the Toggle Surround is positioned properly in the Battery Pack and install Toggle Shaft into Toggle Shaft Hole (**Diagram 3**).
5. Move toggle to the closed position and place battery pack on a hard level surface (**Diagram 4**).
6. Insert the old washers and springs over the toggle shaft as shown (**Diagram 4**).
7. Insert the Toggle Pawl over the Toggle Shaft. Note that the Toggle Pawl is indexed to the Toggle Shaft. Press down and rotate the Toggle Pawl until it drops down into the Toggle Shaft index (**Diagram 3**) position. The Toggle Pawl will be unable to rotate once it is properly seated. Continue pressing down on the Toggle Pawl with your thumb.
8. With your other hand, grab and drop the Hex Nut into the Toggle Pawl.
9. Insert the Nut Driver into the Toggle Pawl (**Diagram 5**). Rotate the Nut Driver continuously until you feel the Hex Nut thread and tighten onto the Toggle Shaft.

 **Hex Nut should be firmly snug, but DO NOT overtighten.**

10. Make sure Battery Pack o-ring is clean.
11. Attach Battery Pack to Strobe

Replacement Procedure Illustrations



Customer Support

Ikelite Underwater Systems
Service Department
50 West 33rd St.
Indianapolis, IN 46208 USA

Email: ikelite@ikelite.com
Phone: 317-923-4523

Limited Warranty

This Ikelite product is warranted against any manufacturing defects for a period of one (1) year from the original date of purchase. All other claims of any nature are not covered. Except as mentioned above, no other warranty expressed or implied applies to this Ikelite product.

Ikelite Underwater Systems
50 West 33rd Street
Indianapolis, IN 46208 USA

ikelite.com

© 2013 Ikelite Underwater Systems

Toggle_Replacement_Kit_9457.63-2-1117